

**POLITERM BLU FEIN**Compilation day: 10/04/2014  
Revision day: 06/12/2021**1. Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**Product name: POLITERM BLU FEIN  
Chemical Type: Mixture**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Ultra-lightweight aggregate of EPS beads, for the preparation of lightweight thermal insulating Bound EPS (BEPS) mortars.

Relevant uses are listed above. No other uses are recommended unless an assessment has been conducted prior to the start of that use, which demonstrates that the risks associated with that use are controlled.

**1.3 Details of the supplier of the safety data sheet**Name: TEKTO HELLAS S.A.  
Offices: Zakka 10 str, P.O. box 56727, Neapoli, Thessaloniki, Greece. Tel: +30 2310 511 871  
Factory: 10<sup>th</sup> klm Thessaloniki – Neochorouda. Tel: +30 2310 782 007  
E-mail: [tekto@tekto.gr](mailto:tekto@tekto.gr) - web: [www.tekto.gr](http://www.tekto.gr)  
Representative responsible for this SDS: Architektonidis Theodoros: [th.architektonidis@tekto.gr](mailto:th.architektonidis@tekto.gr)**1.4 Emergency telephone number**Greece: Poison control center  
Children hospital "P. and A. Kyriakou"  
Emergency telephone number: +302107793777  
Open: 24 hours  
Email: [poison\\_ic@aglaiakyriakou.gr](mailto:poison_ic@aglaiakyriakou.gr)**2. Hazards identification****2.1 Classification of the substance or mixture**

Classification: Mixture

**2.1.1 Classification according to Regulation (EC) 1272/2008 (CLP)**

Not dangerous

**2.2. Label elements****According to Regulation (EC) 12/27/2008****GHS Precautionary statements**P270 Do not eat, drink or smoke when using this product.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P102 Keep out of reach of children.  
P501 Dispose of contents/container in accordance with local/regional/national level.  
P262 Do not get in eyes, on skin, or on clothing.  
P281 Use personal protective equipment as required.**2.3 Other hazards**

The product does not meet the criteria for PBT and vPvB in accordance with Annex XIII of REACH (Regulation (EC) 1907/2006).

Under normal conditions of use, the product and its mixture does not present any particular risk to the environment and is subject to compliance with the recommendations contained in paragraphs 6, 8, 12 and 13.

**3. Composition/information on ingredients****Mixture**

The mixture contains the following substances which may cause harm to health according to Regulation (EC) 1272/2008.

Substance	EINECS	N. CAS	REACH registration number	Concentration	Classification according to regulation (EC) 1272/2008		
					Hazard classification	Hazard category	Hazard phrases
Pentane	203-692-4	109-66-0	01-2119459286-30-XXXX	< 0,1%	Flam. liq	2	H225

The product is not subject to the REACH registration.

**4. First-aid measures****4.1 Description of first aid measures****General information**

It should be noted that the administration of drugs and the use of medical equipment must be carried out under the supervision of medical staff. Also, note that in case of an accident, the first service must be performed by trained personnel as to avoid further complications or damage.

There is no need for personal protective equipment for the rescuers who need to avoid inhalation of dust and avoid contact with the product when this is wet or muddy. If this is not possible, they must use the personal protective equipment described in section 8.

**In case of contact with eyes**

Do not rub your eyes to prevent corneal damage caused by the rubbing. Make sure the patient does not wear contact lenses and if he does, immediately remove them and proceed with the eyewash. Wash immediately with plenty of water for at least 20 minutes to remove all residues. Immediately seek examination and/or advice by an eye doctor.

**In case of contact with skin**

In case of contact with skin, wash the affected area with plenty of water and pH neutral soap or suitable mild detergent. Remove the contaminated clothing and clean thoroughly before reuse. In all cases of irritation or burns, consult a physician.

**In case of inhalation**

Move the person to fresh air; dust in the person's throat and nostrils should be eliminated naturally. Contact a physician if irritation persists, or if it occurs later, or if you are having trouble, coughing or the symptoms persist atria.

**In case of ingestion**

Do not induce vomiting. If the person is conscious, rinse mouth with plenty of water and seek immediate medical attention or contact a poison control center.

**4.2 Most important symptoms and effects, both acute and delayed****Eyes**

Contact with eyes may cause irritation or injury

**Skin**

After a prolonged contact with the skin (due to perspiration or moisture) it can have an irritating effect or may cause dermatitis after repeated and prolonged contact.

**Inhalation**

Repeated inhalation of the powder for a long period of time increases the risk of onset of lung diseases.

**Ingestion**

There are no known effects following ingestion.

**Environment**

In normal use, the product is not dangerous for the environment.

**4.3 Indication of any immediate medical attention and special treatment needed.**

See 4.1: Deliver the present Safety Data Sheet.

## 5. Fire-fighting measures

The preparation is non-combustible, non-flammable and non-explosive

### 5.1 Extinguishing media

#### Suitable extinguishing media:

Water, CO<sub>2</sub>, foam, chemical powders, according to the materials involved in the fire.

#### Information about suitable extinguishing media:

Not relevant

#### Unsuitable extinguishing media:

None in particular

#### Indicate whether any extinguishing media is inappropriate for a particular situation involving the substance/mixture:

None in particular

### 5.2 Special hazards arising from the substance or mixture

None in particular

### 5.3 Advice for firefighters

None in particular

## 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from the area of people not involved in the intervention of the emergency.

Use a mask, goggles, gloves and the appropriate personal protective equipment (see section 8).

In case of accidental dispersion, provide adequate respiratory protection and enable adequate ventilation.

Avoid prolonged contact with skin and eyes. Do not breathe dust.

#### 6.1.1 For non-emergency personnel

Wear protective equipment as described under Section 8 and follow the advice for safe handling and use given under Section 7.

#### 6.1.2 For emergency responders

Wear protective equipment as described under Section 8 and follow the advice for safe handling and use given under Section 7.

### 6.2 Environmental procedures

Limit any leakage by using earth or sand. Do not allow the mixture to disperse into waterways or sewers. Rapidly collect the product only by using appropriate protective equipment. Contain the spillage and collect it mechanically. Avoid any release of the product to the environment and to raise excessive dust. After collecting the spillage, wash the area and the materials involved in the collection with water.

### 6.3 Methods for cleaning up

Use collection methods that do not cause dispersion and suspension of dust, such as portable industrial vacuum cleaners with high efficiency filters (EPA and HEPA filters according to EN 1822-1: 2009). Do not use compressed air. Alternatively, wipe the dust with a suitable instrument (eg a mop). You can also spray water at low pressure (as not to disturb the dust) and collect the pulp. If the collection is not possible, remove the slurry with water (see liquid product).

If it is not possible to clean with the above methods and only dry clean up is possible, make sure the staff concerned with the clean up carries wears the appropriate respiratory protection and try to limit the dispersion of the dust. Avoid inhalation of dust and contact with skin. Place the soiled items into a suitable container and allow the mixture to solidify before disposal, as described in Chapter 13 of this SDS.

### 6.4 Reference to other sections

Wherever it's appropriate, see sections 8 and 13.

## 7. Handling and storage

### 7.1 Precautions for safe handling

#### 7.1.1 Recommendations

Avoid any contact with the eyes and the skin. Avoid prolonged exposure to any dust.

Use personal protective equipment as described in section 8. When using the product in closed spaces, take care for adequate ventilation by mechanical means if natural means are not sufficient.

### 7.1.2 Advice on general occupational hygiene

Do not eat, drink, or smoke while using the mixture. Wash thoroughly after using the product. Remove contaminated clothing and personal protective equipment prior to entering food consuming areas.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep the product away from water and/or moist environments.

Store the product intact and tightly closed in its original packaging.

Store the product in a dry, well-ventilated area away from any sources of heat and away from direct sunlight.

Keep the preparation out of the reach of children.

Store it away from food, beverages, and animal food.

Do not use aluminium containers for mixing and transporting the product. Fresh mortar may corrode aluminium and other non-noble metals.

See also section 10.

### 7.3 Specific end use(s)

None

## 8. Exposure controls/personal protection

### 8.1 Control parameters

Pentane

TWA: 600 ppm

MAK: 1000 ppm 3000 mg/m<sup>3</sup>

### 8.2 Exposure controls

#### 8.2.1 Appropriate engineering controls

The work area must be sufficiently ventilated. If necessary, install appropriate local ventilation systems or ensure an effective and sufficient air exchange.

#### 8.2.2 Individual protection measures, such as personal protective equipment

##### (a) Eye/face protection



When handling the product, wear safety glasses or masks certified according to EN 166, to prevent any contact with the eyes. Do not wear contact lenses.

##### (b) Skin protection



Wear shoes and/or safety boots and work clothing (long sleeves and trousers) as well as products for skin care (including moisturizers) to ensure maximum dermal protection when in contact with wet mixture.

##### (1) Hand protection



Use protective clothes, tight, resistant to abrasion and alkalis, certified according to EN 374 – parts 1, 2, 3.

##### (c) Respiratory protection



In case a worker may be exposed to a concentration of respirable matter greater than the exposure limit, he must use appropriate respiratory protection devices, such as filtering face pieces (FFP) certified according to EN 149 or quarter masks certified according to EN 140, EN 14387 and EN 1827.

**(d) Thermal hazards**

Not applicable.

**8.2.3 Environmental exposure control**

The mixture contains cement. Do not discharge the product in the sewer or on other water resources, to avoid pH increase. The increase of pH above 9 has possible eco-toxicological effects.

For dust exposure to the environment, no special circumstances are needed. Collect the dust according to the information contained in chapter 6.

**9. Physical and chemical properties**
**9.1 Information on basic physical and chemical properties**

(a) Appearance	Solid powder of cement and EPS beads
(b) Odour	Odorless
(c) Odour threshold	Not applicable
(d) pH	In aqueous solutions (e.g. fress mortar) it is alkaline, like all cement products. The pH range may vary between 10-13 depending on the water quantity.
(e) Melting point/ Freezing point	Not available
(f) Initial boiling point and boiling range (at atmospheric pressure)	Not available
(g) Flash point	Not available
(h) Evaporation rate	Not available
(i) Flammability (solid, gas)	Not applicable
(j) Upper/lower flammability or explosive limits	Not applicable
(k) Vapour pressure	Not applicable
(l) Vapour density	Not available
(m) Relative density	10-14 kg/m <sup>3</sup>
(n) Solubility(ies)	In water: Forms saturated solutions of calcium hydrate In fat and/or organic solvents: Soluble
(o) Partition coefficient: n-octanol/water	Not applicable for cement. EPS beads soluble.
(p) Auto-ignition temperature	Not available
(q) Decomposition temperature	> 80-100°C
(r) Viscosity	Not available
(s) Explosive properties	Not available
(t) Oxidizing temperatures	Not available

**9.2 Other information**

Not Available

**10. Stability and reactivity**
**10.1 Reactivity**

When mixed with water and cement, the product hardens forming a stable mass that does not react with the environment. The dry product is chemically stable for the storage and handling conditions described in section 7.

**10.2 Chemical stability**

Stable under normal conditions. The mixture contains EPS beads. It is stable if it is stored properly (see chapter 7) and compatible with most building materials. Avoid contact with incompatible materials.

**10.3 Possibility of hazardous reactions**

Not applicable for intended uses

**10.4 Conditions to avoid**

The presence of moisture and irradiation during storage may result in loss of quality of the product and the formation of lumps (or blocks), with consequent difficulties in handling and use.

**10.5 Incompatible materials**

Solvents

**10.6 Hazardous decomposition products**

 CO<sub>2</sub>, CO

## 11. Toxicological information

### 11.1 Information on toxicological effects

There are no toxicological data available on the mixture.

In assessing the toxicological effects deriving from the preparation, take in consideration the concentration of each substance.

Experimental studies have not been performed on the preparation itself. Therefore, for the aspect of toxicity to humans one must evaluate the individual hazardous substances that make up the preparation and are set out in paragraph 3 of this data sheet.

Below, the toxicological information relating to the main substances of the mixture:

#### (a) acute toxicity (oral, dermal and inhalation)

The classification criteria are not met.

#### (b) Skin corrosion / irritation

The classification criteria are not met for the product as it is. However, if cement is added then consult the SDS of the cement producer since when cement comes in contact with wet skin may cause thickening, cracking or fissuring of the skin. Prolonged contact of cement in combination with abrasion may cause severe burns. Some individuals may develop eczema upon exposure to wet cement dust caused by the high pH which induces irritant contact dermatitis after prolonged contact.

#### (c) Serious eye damage / irritation

The classification criteria are not met for the product as it is. However, if is cement is added in the mixture then consult the SDS of the cement producer. Direct contact with cement may cause corneal damage by mechanical stress, immediate or delayed irritation or inflammation. Direct contact by larger amounts of dry cement or splashes of wet cement may cause effects ranging from moderate eye irritation (e.g. conjunctivitis or blepharitis) to chemical burns and blindness.

#### (d) Respiratory or skin sensitization

There is no indication of sensitization of the respiratory system. Based on available data, the classification criteria are not met.

#### (e) Germ cell mutagenicity

It is believed that the mixture does not have any potential or any proven mutagenicity effects to humans.

#### (f) Carcinogenicity

It is believed that the mixture does not have any potential or any proven carcinogenic effects to humans.

#### (g) Reproductive toxicity

It is believed that the mixture does not have any potential or any proven effects of reproductive toxicity

#### (h) STOT – Single exposure – Category 3 (Report 1)

The product contains cement. Cement dust may irritate the throat and respiratory tract. Coughing, sneezing, and shortness of breath may occur following exposures more than the occupational exposure limits. Overall, the pattern of evidence clearly indicates that occupational exposure to cement dust has produced deficits in respiratory function. However, evidence available at the present time is insufficient to establish with any confidence the dose-response relationship for these effects.

#### (i) STOT – Repeated exposure (Report 11)

The product contains cement. There is an indication of COPD. The effects are acute and due to high exposures. No chronic effects or effects at low concentration have been observed. Based on available data, the classification criteria are not met.

#### (j) Aspiration hazard

Not applicable since the product is not used as an aerosol.

### 11.1.12 Other information

The mixture contains cement. Inhaling cement dust may aggravate existing respiratory system disease(s) and/or medical conditions such as emphysema or asthma and/or existing skin and/or eye conditions

## 12. Ecological information

### 12.1 Toxicity

There are no eco toxicological data on the mixture itself.

The product is not dangerous for the environment.

There are no indications of toxicity in the sediment phase.

In case of dispersion of large quantities of the product in the water, due to the consequent increase in the pH value, there are possible eco-toxicity effects for the aquatic life under certain circumstances.

### 12.2 Persistence and degradability

Not relevant. After use, the product does not pose a risk for toxicity.

### 12.3 Bioaccumulative potential

Not relevant. After curing, the product does not pose a risk for toxicity.

### 12.4 Mobility in soil

Not relevant. After curing, the product does not pose a risk for toxicity.

### 12.5 Results of PBT and vPvB assessment

Not relevant. After curing, the product does not pose a risk for toxicity.

### 12.6 Other adverse effects

Not relevant.

## 13. Disposal considerations

### 13.1 Waste treatment methods

In case of accidental spill, the aspects in chapter 6 and 7 are valid. Do not dispose of into sewage systems or surface waters.

#### Product - unused residue or dry spillage

**EWC number:** 17 02 03 (plastic).

Pick up dry unused residue or dry spillage as is. Mark the containers. Alternatively, the unused or the picked-up product can be reused depending upon shelf-life considerations and the requirement to avoid dust contamination or foreign matter.

#### Product – Slurries after adding water and cement

Allow to harden, avoid entry in sewage and drainage systems or into bodies of water (e.g. streams) and dispose of as explained below under “Product - after addition of water and cement, hardened”.

#### Product - after addition of cement and water, hardened

**EWC numbers:** 10 13 14 (waste from manufacturing of cement – waste concrete or concrete sludge) or 17 01 01 (construction and demolition wastes - concrete). Dispose of according to the local legislation. Avoid entry into the sewage water system. Dispose of the hardened product as concrete waste. Due to the inertization, concrete waste is not a dangerous waste

#### Packaging

**EWC number:** 15 01 02 (plastic packaging). Completely empty the packaging and process it according to local legislation.

## 14. Transport information

### Transport hazard by road – ADR NO

The product does not fall within any class of hazard for the transportation of dangerous goods. Therefore, it is not subjected to model regulations: IMDG [sea], ADR [road], RID [rail], ICAO/IATA [air].

During transportation, avoid the dispersion of the product by the wind. Store the product in close containers.

### 14.1 UN number

Not relevant

### 14.2 UN proper shipping name

Not relevant

### 14.3 Transport hazard class(es)

Not relevant

**14.4 Packing group**

Not available

**14.5 Environmental hazards**

Not relevant

**14.6 Special precautions for user**

Not relevant

**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code**

Not relevant

**15. Regulatory information****15.1 Safety, health and environmental regulations/legislations specific for the substance or mixture**

Regulation (EC) No 830/2015 of 28/05/2015

Regulation (EC) No 1907/2006 of 18/12/2006

Regulation (EC) No 987/2008 of 09/10/2008

Corrigendum to Commission Regulation (EC) No. 987/2008 of 08/10/2008

Directive 2003/53/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 June 2003

Regulation (EC) No. 552/2009 of 22/06/2009

Regulation (EC) No. 1272/2008 of 16/12/2008

Regulation (EU) No. 453/2010 of 20/05/2010

Requirements of Regulation (EC) No. 1907/2006 "REACH"

**15.2 Chemical safety assessment**

There was no evaluation on safety.

**General Information**

The list of references to legislations is indicative and not exhaustive. The user of the product is required to investigate in each case the regulations and recommendations relating to the proper use of the product.

**16. Other information****16.1 Modifications on previous versions**

Revision date: 06/12/2021.

Changes from previous version: Changes in composition of mixture. Changes relating to waste management (section 13).

**16.2 Abbreviations and acronyms**

ADR: Accord européen relative au transport international des marchandises dangereuses par route [European Agreement concerning the International Carriage of Dangerous Goods by Road]

ACGIH: American Conference of Governmental Industrial Hygienists

CLP: Classification, Labelling and Packaging

DNEL : Derived no effect level

IBC: International Bulk Chemical code

ICAO/IATA: International Civil Aviation Organization / International Air Transport Association

IMDG: International Maritime Dangerous Goods code

MAK: Maximum workplace concentration

MARPOL: International Convention for the Prevention of Pollution from Ships

OELV: Occupational Exposure Limit Values

REACH: Registration, Evaluation, Authorization, and restriction of Chemicals

RID: Rail International Transport

TWA: Time-Weighted Average concentrations of airborne substances

TLV: Threshold limit value



**16.4 Procedure that was followed for the classification of the product according to Article 9 of Regulation 1272/2008 (CLP)**

No experiments have taken place on the product. The information regarding the classification of the product, as presented in chapter 2.1 of the present SDS, is based on the classification of its constituents, according to the Directive 1999/45/EC (DPD) or 1999/45/EC (DSD).

**16.6 Advice for Staff training**

No special training is needed for the stuff that uses this product. Everyone must be fully informed on all the necessary procedures (regular and exceptional) and the safety measures as been described in the present SDS. Those procedures and those measures must be followed every time someone uses this product.

Disclaimer: The information contained herein is based on the best knowledge of the compiler of the SDS on the date indicated in the introduction and are presented here in good will and are based on information given to our company by the producers of the constituents of the product as described in their SDS. This information will be updated as soon as we receive new information. That information is intended and solely related only to the product indicated. Therefore, the information may not be relevant in case of combinations or mixtures thereof. Any other use of the product is solely the responsibility of the user; therefore the user must comply with the current regulations and make sure of the suitability and completeness of the information contained in this SDS; in relation to the specific use that must be made for the product.

TEKTO HELLAS S.A. provides this SDS in good faith and does not express any implied warranty as to its completeness and accuracy. The purpose of this SDS is to be used as a guide for taking appropriate precautions during the handling of the material by a properly trained person. Individuals who receive this information must use their own judgment to determine the suitability for each application or purpose. Additionally, the present SDS (including Annex) has been prepared under the requirements of Regulation (EC) 453/2014, based on information available at the indicated date. Additional information obtained in accordance with the timetable as set out in REACH and the relevant Directives (as described in the application programs of REACH) will be added as soon as they become available.